

March 23, 2018

Mr. Aram Varjabedian
Woodard & Curran
Hull Water Pollution Control Facility
1111 Nantasket Avenue
Hull, Massachusetts 02045

Dear Mr. Varjabedian:

Enclosed, please find three copies of our report presenting the results of a toxicity test completed using an effluent sample collected from the Hull, Massachusetts Water Pollution Control Facility during the February 2018 sampling period. Acute toxicity was evaluated using the inland silverside minnow, *Menidia beryllina*.

Please do not hesitate to call me or Lisa Bordonaro should you have any questions regarding the report.

Sincerely,

EnviroSystems, Incorporated



Kirk Cram
Toxicology Laboratory Manager

Enclosure

WET Test Report Certification
Report Number 30299-18-02
Three (3) copies + email

WHOLE EFFLUENT TOXICITY TEST REPORT CERTIFICATION

Permittee Certification

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on: _____

Authorized Signature

Print or Type Name

Hull Permanent Sewer Commission

Print or Type the Permittee's Name

MA0101231

Type or Print the NPDES Permit No.

WHOLE EFFLUENT TOXICITY TEST REPORT CERTIFICATION (Bioassay Laboratory)

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Executed on: March 23, 2018



Kirk Cram
Toxicology Laboratory Manager - EnviroSystems, Inc.

**TOXICOLOGICAL EVALUATION
OF A TREATED MUNICIPAL EFFLUENT
BIOMONITORING SUPPORT FOR A NPDES PERMIT:
February 2018**

Hull Water Pollution Control Facility
Hull, Massachusetts
NPDES Permit Number MA0101231

Prepared For:

Woodard & Curran
Hull Water Pollution Control Facility
1111 Nantasket Avenue
Hull, Massachusetts 02045

Prepared By:

EnviroSystems, Incorporated
One Lafayette Road
Hampton, New Hampshire 03842

February 2018
Reference Number: Hull30299-18-02

STUDY NUMBER 30299

EXECUTIVE SUMMARY

The following summarizes the results of an acute exposure bioassay completed during February 2018 in support of the NPDES biomonitoring requirements of the Hull, Massachusetts Water Pollution Control Facility, operated by Woodard & Curran. The 48 hour acute definitive assay was completed using the inland silverside minnow, *Menidia beryllina*.

M. beryllina, supplied by Aquatic Research Organisms, Inc. of Hampton, New Hampshire, were 11 days old at the start of the test. Dilution water was receiving water collected from Massachusetts Bay at a point away from the discharge. Samples were received under chain of custody in good order. All sample receipt, test conditions and control endpoints were within protocol specifications, except where otherwise noted.

The results presented in this report relate only to the samples described on the chain(s) of custody and sample receipt log(s), and are intended to be used only by the submitter. Results from the acute exposure assay and their relationship to permit limits are summarized in the following matrix.

Acute Toxicity Evaluation

Species	Exposure	LC-50	A-NOEC	Permit Limit (LC-50)	Effluent Meets Permit Limit	Assay Meets Protocol Limits
<i>Menidia beryllina</i>	48 Hours	>100%	NC	≥ 100%	Yes	Yes

COMMENTS:

NC = Not Calculated.

**TOXICOLOGICAL EVALUATION
OF A TREATED MUNICIPAL EFFLUENT
BIOMONITORING SUPPORT FOR A NPDES PERMIT:
February 2018**

Hull Water Pollution Control Facility
Hull, Massachusetts
NPDES Permit Number MA0101231

1.0 INTRODUCTION

This report presents the results of an acute toxicity test completed on a composite effluent sample collected from the Hull, Massachusetts Water Pollution Control Facility (Hull WPCF), operated by Woodard & Curran. Testing was based on programs and protocols developed by the US EPA (2002), with exceptions as noted by US EPA Region I (2012), and involved conducting a 48 hour static acute toxicity test with the inland silverside minnow, *Menidia beryllina*. Testing was performed at EnviroSystems, Incorporated (ESI), Hampton, New Hampshire in accordance with the provisions of TNI Standards (2009).

Acute toxicity tests involve preparing a series of concentrations by diluting effluent with control water. Groups of test animals are exposed to each effluent concentration and control for a specified period. In acute tests, mortality data for each concentration are used to calculate the median lethal concentration, or LC-50, defined as the effluent concentration that kills half of the test animals. Samples with high LC-50 values are less likely to cause significant environmental impacts. The no-effect concentration is also determined to provide information about the level of effluent that would have minimal acute effects in the environment. This Acute No Observed Effect Concentration (A-NOEC) is defined as the highest tested effluent concentration that causes no significant mortality.

2.0 MATERIALS AND METHODS

2.1 General Methods

Toxicological and analytical protocols used in this program follow procedures primarily designed to provide standard approaches for the evaluation of toxicological effects of discharges on aquatic organisms (US EPA 2002), and for the analysis of water samples (APHA 2012). See Section 4.0 for a list of references.

2.2 Test Species

When necessary, *M. beryllina* were acclimated to approximate test conditions prior to use in the assay. Test organisms were transferred to test chambers using an inverted glass pipet, minimizing the amount of water added to test solutions. Twenty control fish were weighed during the test to confirm loading rates. The loading rate was below the maximum 0.4 g/L recommended for assays conducted at 25°C. Fish weights and loading calculations are included in the data appendix. Fish were fed <24 hour old *Artemia* nauplii daily until test start.

2.3 Effluent, Receiving Water, and Laboratory Water

Effluent and receiving water collection information is provided in Table 1. Samples were received at 0-6°C as per 40 CFR §136.3 unless otherwise noted, stored at 4±2°C and warmed to 25±1°C prior to preparing test solutions. Effluent used in the *M. beryllina* assay was salinity adjusted to 25±2 ppt using artificial sea salts according to protocol (US EPA 2002). Laboratory water was collected from the Hampton/Seabrook Estuary. This water has been used to culture marine test organisms since 1981.

Total residual chlorine (TRC) was measured by amperometric titration (MDL 0.02 mg/L) in the effluent and diluent samples prior to use in the assays. Samples with ≥0.02 mg/L TRC were dechlorinated using sodium thiosulfate (US EPA 2002) and a control treatment using laboratory water adjusted with the same amount of sodium thiosulfate as was used to dechlorinate the effluent was run concurrently with the assay.

If sample pH measured <6.0 SU or >9.0 SU, samples were adjusted using sodium hydroxide or hydrochloric acid, respectively, and a control treatment using laboratory water adjusted with the same amount of either compound as was used to modify sample pH was run concurrently with the assay. When applicable, data from sodium thiosulfate and/or pH adjusted laboratory control treatments can be found in Appendix A.

2.4 Acute Exposure Bioassay

The 48 hour static acute exposure bioassay was conducted at $25\pm 1^{\circ}\text{C}$ with a photoperiod of 16:8 hours light:dark. Test chambers were 250 mL glass beakers containing 200 mL test solution in each of 4 replicates with 10 organisms/replicate. Replicates were not randomized during testing; rather, organisms were added randomly at test initiation by replicate across test solutions in an alternating fashion (alternating allocation). Test concentrations for the assay were 100% (undiluted), 50%, 25%, 12.5%, and 6.25% effluent. Survival and dissolved oxygen were recorded daily in all replicates. Specific conductivity, salinity, temperature, and pH were measured daily in one replicate of each test treatment.

2.5 Data Analysis

When applicable, statistical analysis of acute exposure data was completed using CETIS™ v1.9.3.0, Comprehensive Environmental Toxicity Information System, software. The program computes acute exposure endpoints based on US EPA decision tree guidelines specified in individual test methods. If survival in the highest test concentration is >50%, the LC-50 is obtained by direct observation of the raw data. As needed, the A-NOEC is determined as the highest test concentration that caused no significant mortality.

2.6 Quality Control

As part of the laboratory quality control program, standard reference toxicant assays are completed on a regular basis for each test species. These results provide relative health and response data while allowing for comparison with historic data sets. See Table 2 for details.

2.7 Protocol Deviations

The protocol for this client requires that the assays be conducted at $25\pm 1^{\circ}\text{C}$. Although the assays were mixed at and maintained in incubators set at $25\pm 1^{\circ}\text{C}$, some temperatures recorded during the assay were lower due to the ambient laboratory temperature at the time that water quality measurements were taken. These species can tolerate temperatures within this range, and it is the opinion of ESI's technical director that this deviation had no adverse impact on the outcome of the assay.

3.0 RESULTS AND DISCUSSION

Results of the acute exposure bioassay completed using the inland silverside minnow are summarized in Table 3. Effluent and dilution water characteristics are presented in Table 4. US EPA Region I toxicity test summary sheets can be found after the tables. Support data, including copies of laboratory bench sheets, are included in Appendix A.

Minimum test acceptability criteria require $\geq 90\%$ survival in the control concentrations. Achievement of these results indicates that healthy test organisms were used and that the dilution water had no significant adverse impact on the outcome of the assay. See the Executive Summary and Table 3 for test acceptability.

4.0 LITERATURE CITED

40 CFR §136.3. *Code of Federal Regulations* (CFR), Protection of the Environment (Title 40), Guidelines Establishing Test Procedures for the Analysis of Pollutants (Part 136), Identification of Test Procedures (sub-part 3), Table II-Required Containers, Preservation Techniques, and Holding Times.

APHA. 2012. *Standard Methods for the Examination of Water and Wastewater*, 22nd Edition. Washington D.C.

The NELAC Institute (TNI). 2009. *Environmental Laboratory Sector, Volume 1: Management and Technical*

Hull WPCF Effluent Biomonitoring Program, February 2018.
Study Number 30299.

Requirements for Laboratories Performing Environmental Analysis (TNI Standard). EL-V1-2009.

US EPA. 2002. *Methods for Measuring the Acute Toxicity of Effluents to Freshwater and Marine Organisms*. Fifth Edition. EPA-821-R-02-012.

US EPA Region I. 2012. *Marine Acute Toxicity Test Procedure and Protocol*. US EPA Region I Office, Boston, Massachusetts. July 2012.

**TABLE 1. Summary of Sample Collection Information.
Hull WPCF Effluent Biomonitoring Program. February 2018.**

Sample Description	Type	Collection		Receipt		Arrival Temp °C
		Date	Time	Date	Time	
Effluent	Comp	02/13-14/18	0800-0800	02/14/18	1145	4
Receiving Water	Grab	02/14/18	0615	02/14/18	1145	4

**TABLE 2. Summary of Reference Toxicant Data.
Hull WPCF Effluent Biomonitoring Program. February 2018.**

Date	Endpoint		Value	Historic Mean/ Central Tendency	Acceptable Range	Reference Toxicant
<i>M. beryllina</i>						
01/25/18	Survival	48Hr LC-50	7.5	7.2	5.9 - 8.5	SDS (mg/L)

Means and Acceptable Ranges based on the most recent 20 reference toxicant assays.

**TABLE 3. Summary of Acute Evaluation Results.
Hull WPCF Effluent Biomonitoring Program. February 2018.**

Species	Exposure	Lab	Percent Survival					
			RW	6.25%	12.5%	25%	50%	100%
<i>M. beryllina</i>	48 hours	97.5%	100%	100%	100%	97.5%	97.5%	97.5%

LC-50 and A-NOEC Results						
Species	Exposure	Spearman-Kärber	Probit	Direct Observation	A-NOEC	
<i>M. beryllina</i>	48 Hours	NC	NC	>100%	NC	

COMMENTS:

RW = Receiving Water; used as the diluent.

NC = Not Calculated.

**TABLE 4. WET Support Chemistry Data.
Hull WPCF Effluent Biomonitoring Program. February 2018.**

PARAMETER	UNIT	EFFLUENT	RECEIVING WATER
Specific Conductivity - As Received	µmhos/cm	7000	46220
pH - As Received	SU	7.34	7.86
Salinity - As Received	ppt	4	30
Total Residual Chlorine	mg/L	<0.02	<0.02
Total Solids	mg/L	4300	36000
Total Suspended Solids	mg/L	3.8	7.2
Ammonia as N	mg/L	8.6	<0.1
Total Organic Carbon	mg/L	5.8	2.2
Aluminum, total	mg/L	<0.02	0.032
Cadmium, total	mg/L	<0.0005	<0.0005
Calcium, total	mg/L	69.1	332
Chromium, total	mg/L	<0.002	<0.002
Copper, total	mg/L	0.0054	0.0014
Lead, total	mg/L	<0.0005	<0.0005
Magnesium, total	mg/L	120	1010
Nickel, total	mg/L	<0.002	<0.002
Zinc, total	mg/L	0.041	0.0023

COMMENTS:

Additional water quality and support chemistry data are provided in Appendix A.

TOXICITY TEST SUMMARY SHEET

FACILITY NAME: Hull WPCF TEST START DATE: 02/15/18
 NPDES PERMIT NO.: MA0101231 TEST END DATE: 02/17/18

TEST TYPE	TEST SPECIES	SAMPLE TYPE	SAMPLE METHOD
<input checked="" type="checkbox"/> Acute	<input type="checkbox"/> <i>Pimephales promelas</i>	<input type="checkbox"/> Prechlorinated	<input type="checkbox"/> Grab
<input type="checkbox"/> Chronic	<input type="checkbox"/> <i>Ceriodaphnia dubia</i>	<input type="checkbox"/> Dechlorinated	<input checked="" type="checkbox"/> Composite
<input type="checkbox"/> Modified Chronic (Reporting Acute Values)	<input type="checkbox"/> <i>Daphnia pulex</i>	<input type="checkbox"/> Chlorine Spiked in Lab	<input type="checkbox"/> Flow-thru
<input type="checkbox"/> 24 Hour Screen	<input type="checkbox"/> <i>Americamysis bahia</i>	<input type="checkbox"/> Chlorinated on Site	<input type="checkbox"/> Other
	<input type="checkbox"/> <i>Cyprinodon variegatus</i>	<input type="checkbox"/> Unchlorinated	
	<input checked="" type="checkbox"/> <i>Menidia beryllina</i>	<input checked="" type="checkbox"/> No Detectable Chlorine Upon Receipt	
	<input type="checkbox"/> <i>Arbacia punctulata</i>	<input type="checkbox"/> Dechlorinated at lab	

DILUTION WATER:

☒ Receiving water collected at a point upstream or away from the discharge, free from toxicity or other sources of contamination; Receiving Water Name: Massachusetts Bay

☐ Alternate surface water of known quality and hardness, to generally reflect the characteristics of the receiving water; Receiving Water Name: _____

☐ Synthetic water prepared using either Millipore Milli-Q or equivalent deionized water and reagent grade chemicals; or deionized water combined with mineral water.

☐ Artificial sea salts mixed with deionized water

☐ Deionized water and hypersaline brine

☐ Other

EFFLUENT SAMPLING DATES: 02/13-14/18

EFFLUENT CONCENTRATIONS TESTED (%): 6.25; 12.5; 25; 50; 100

Permit Limit Concentration: ≥100 %

Was the effluent salinity adjusted? Yes If yes, to what level? 25 ppt

REFERENCE TOXICANT TEST DATE: 01/25/18 LC-50: 7.5 mg/L Sodium Dodecyl Sulfate

PERMIT LIMITS AND TEST RESULTS

Test Acceptability Criteria

Mean Control Survival: 100 %

LIMITS

LC-50: ≥100 %

A-NOEC: - %

C-NOEC: - %

IC- - %

RESULTS

LC-50 >100 %

Upper Limit: - %

Lower Limit: - %

Method: Direct Observation

A-NOEC: - %

C-NOEC: - %

C-LOEC: - %

IC- - %

APPENDIX A
DATA SHEETS
STATISTICAL SUPPORT

Contents	Number of Pages
Methods Used in NPDES Permit Biomonitoring Testing	1
Massachusetts DEP Accreditation Certification and Certified Parameter List	3
<i>M. beryllina</i> Acute Bioassay Bench Sheet	2
<i>M. beryllina</i> Acute Survival Statistical Analysis	0
Organism Wet Weights	1
Organism Culture Data	1
Preparation of Dilutions and Record of Meters Used	1
Analytical Chemistry Support Data Summary Report	1
Sample Receipt Record	1
Chain of Custody	1
Assay Review Checklist	1
Total Appendix Pages	13

METHODS USED IN NPDES PERMIT BIOMONITORING TESTING

Parameter	Method
Acute Exposure Bioassays:	
<i>Ceriodaphnia dubia</i>	EPA-821-R-02-012 2002.0
<i>Daphnia pulex</i>	EPA-821-R-02-012 2021.0
<i>Pimephales promelas</i>	EPA-821-R-02-012 2000.0
<i>Americamysis bahia</i>	EPA-821-R-02-012 2007.0
<i>Menidia beryllina</i>	EPA-821-R-02-012 2006.0
<i>Cyprinodon variegatus</i>	EPA-821-R-02-012 2004.0
Chronic Exposure Bioassays:	
<i>Ceriodaphnia dubia</i>	EPA-821-R-02-013 1002.0
<i>Pimephales promelas</i>	EPA-821-R-02-013 1000.0
<i>Cyprinodon variegatus</i>	EPA-821-R-02-014 1004.0
<i>Menidia beryllina</i>	EPA-821-R-02-014 1006.0
<i>Arbacia punctulata</i>	EPA-821-R-02-014 1008.0
<i>Champia parvula</i>	EPA-821-R-02-014 1009.0
Trace Metals:	
Trace Metals	EPA 200.8/SW 6020, EPA 245.7
Hardness	EPA SW846 3rd Ed. 6010
Wet Chemistries:	
Alkalinity	EPA 310.2
Chlorine, Residual	Standard Methods 22 nd Edition - Method 4500-Cl D
Total Organic Carbon	Standard Methods 22 nd Edition - Method 5310 C
Specific Conductance	Standard Methods 22 nd Edition - Method 2510 B
Nitrogen - Ammonia	Standard Methods 22 nd Edition - Method 4500-NH ₃ G
pH	Standard Methods 22 nd Edition - Method 4500-H+ B
Solids, Total (TS)	Standard Methods 22 nd Edition - Method 2540 B
Solids, Total Dissolved (TDS)	Standard Methods 22 nd Edition - Method 2540 C
Solids, Total Suspended (TSS)	Standard Methods 22 nd Edition - Method 2540 D
Dissolved Oxygen	Standard Methods 22 nd Edition - Method 4500-O G

Please visit our web site at www.envirosystems.com for a copy of our accreditations and state certifications.

The Commonwealth of Massachusetts



Department of Environmental Protection

Division of Environmental Analysis

Senator William X. Wall Experiment Station

certifies

M- NH906

ENVIROSYSTEMS INC
1 LAFAYETTE RD
HAMPTON, NH 03842-0000

Laboratory Director: RUSSELL D. FOSTER

for the analysis of NON POTABLE WATER (CHEMISTRY)

pursuant to 310 CMR 42.00

This certificate supersedes all previous Massachusetts certificates issued to this laboratory. The laboratory is regulated by and shall be responsible for being in compliance with Massachusetts regulations at 310 CMR 42.00.

This certificate is valid only when accompanied by the latest dated Certified Parameter List as issued by the Massachusetts D.E.P. Contact the Division of Environmental Analysis to verify the current certification status of the laboratory.

Certification is no guarantee of the validity of the data. This certification is subject to unannounced laboratory inspections.

A handwritten signature in dark ink, appearing to read "Oscar C. Garabito".

Director, Division of Environmental Analysis

Issued: 01 JUL 2017

Expires: 30 JUN 2018

Certified Parameter List as of: 01 JUL 2017

NON POTABLE WATER (CHEMISTRY)

17 MAY 2017

Analytes

Methods

EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
EPA 245.7
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
EPA 200.8
SM 4500-H-B
SM 2510B
EPA 310.2
SM 4500-CL-C
EPA 300.0
EPA 300.0
SM 4500-NH3-B, G
SM 4500-NO3-F
SM 4500-NH3-B, G
SM 4500-P-E
SM 4500-P-B,E
SM 5210B
SM 5310C
SM 4500-CN-C,E
SM 2540D
EPA 1664
EPA 624
EPA 624
EPA 608
EPA 608
EPA 608
EPA 608
EPA 608
EPA 608

COMMONWEALTH OF MASSACHUSETTS
DEPARTMENT OF ENVIRONMENTAL PROTECTION

Certified Parameter List as of: 01 JUL 2017

M-NH906 ENVIROSYSTEMS INC
HAMPTON NH

NON POTABLE WATER (CHEMISTRY)

Effective Date 17 MAY 2017

Expiration Date 30 JUN 2018

Analytes

Methods

HEPTACHLOR

EPA 608

HEPTACHLOR EPOXIDE

EPA 608

SVOC-ACID EXTRACTABLES

EPA 625

SVOC-BASE/NEUTRAL EXTRACTABLES

EPA 625

POLYCHLORINATED BIPHENYLS (WATER)

EPA 608

ACUTE BIOASSAY DATA SUMMARY

STUDY: 30299		Brine Shrimp: A-4729		"AS RECEIVED" EFFLUENT AND DILUENT CHEMISTRIES												
CLIENT: Woodard & Curran		TEST ORGANISM: <i>M. beryllina</i>		T. Metals		TOC	AMM	TS/TSS	pH	S/C	SALINITY	TRC				
SAMPLE: Hull WWTF Effluent		ORGANISM SUPPLIER / BATCH / AGE:		EFF		002	003	004	0041005	7.34	7000	<0.02				
DILUENT: Receiving Water		See Organism Culture Sheet		DIL			009	010	0121011	7.36	46220	<0.02				
SALINITY ADJUSTMENT RECORD: 4000 ML EFFLUENT + 97.7 G SEA SALTS (A-4722) = 100% ACTUAL PERCENTAGE 4000 ML Diluent See mL DI H ₂ O = 88.8% Actual																
CONC	REP	SURVIVAL		DO (mg/L)		pH (SU)		TEMP (°C)		S/C (µmhos/cm)		SALINITY (ppt)				
		0	24	48	0	24	48	0	24	48	0	24	48			
LAB SALT	A	10	10	9	6.8	6.6	7.5	7.97	7.79	7.76	38490	39710	40830	25	25	26
	B	10	10	10	6.8	6.5	7.4									
	C	10	10	10	6.8	6.5	7.3									
	D	10	10	10	6.8	6.3	7.3									
RW	A	10	10	10	7.7	6.2	7.2	7.89	7.70	7.75	38820	40890	42230	25	26	27
	B	10	10	10	7.7	6.4	7.3									
	C	10	10	10	7.7	6.3	7.4									
	D	10	10	10	7.7	6.3	7.3									
6.25%	A	10	10	10	7.7	6.3	7.2	7.89	7.73	7.77	39180	40800	41700	25	26	27
	B	10	10	10	7.7	6.4	7.3									
	C	10	10	10	7.7	6.3	7.3									
	D	10	10	10	7.7	6.3	7.3									
12.5%	A	10	10	10	7.5	6.2	7.4	7.88	7.74	7.78	39150	40340	40650	25	26	26
	B	10	10	10	7.5	6.3	7.2									
	C	10	10	10	7.5	6.4	7.2									
	D	10	10	10	7.5	6.3	7.2									
DATE	02/19/18	02/16	02/17	02/15/18	02/16	02/17/18										
TIME	1450	1345	1430	1350	1055	1145										
INITIALS	MS	KB	CFE	MS	CFE	MS										

ACUTE BIOASSAY DATA SUMMARY

STUDY: 30249		Brine Shrimp: A-4912		729 0.05 0.10	
CLIENT: Woodard & Curran		TEST ORGANISM: <i>M. beryllina</i>			
SAMPLE: Hull WWTF Effluent		ORGANISM SUPPLIER / BATCH / AGE:			
DILUENT: Receiving Water		See Organism Culture Sheet			

CONC	REP	SURVIVAL			DO (mg/L)			pH (SU)			TEMP (°C)			S/C (µmhos/cm)			SALINITY (ppt)		
		0	24	48	0	24	48	0	24	48	0	24	48	0	24	48			
25%	A	10	10	9	7.5	6.3	7.3	7.35	7.81	7.85	24	23	23	39130	40110	410940	25	23	26
	B	10	10	10	7.5	6.2	7.2												
	C	10	10	10	7.5	6.3	7.2												
	D	10	10	10	7.5	6.1	7.2												
50%	A	10	10	10	7.5	6.1	7.2	7.84	7.86	7.92	24	23	23	39100	39690	40930	25	25	26
	B	10	10	10	7.5	6.1	7.1												
	C	10	10	10	7.5	6.1	7.1												
	D	10	10	9	7.5	6.1	7.1												
100%	A	10	10	9	7.4	6.2	7.2	7.81	7.97	8.02	25	23	23	38640	39390	410600	25	25	26
	B	10	10	10	7.4	6.2	7.1												
	C	10	10	10	7.4	6.2	7.1												
	D	10	10	10	7.4	6.2	7.0												
DATE	02/15/18	02/16	02/17	02/15/18	02/16	02/17/18													
TIME	1450	1345	1430	1350	1055	1145													
INITIALS	MS	MS	CFS	MS	CFS	MS													

02/16 02/16/18 11 organisms added, 1 removed.

STUDY: 30299
CLIENT: Hull
PROJECT:
ASSAY: Mb48AD
SPECIES: *M. beryllina*
TASK: Wet Weight Data - Balance Output File
BALANCE: Ohaus Discovery Balance Model DV215CD
Serial #: 1124024313

Date / Initials: 02/15/18 MS MS

Rep

1	0.00197
2	0.00225
3	0.00271
4	0.00265
5	0.0026
6	0.00279
7	0.00110
8	0.00269
9	0.00202
10	0.00231
11	0.0025
12	0.00279
13	0.00241
14	0.00206
15	0.00156
16	0.00175
17	0.00224
18	0.00125
19	0.00181
20	0.00169

Mean Weight (g):	0.00216
Test Volume (L):	0.2
Loading Rate(g/L):	0.10788



10MBAR0021418

Aquatic Research Organisms

DATA SHEET

I. Organism History

Species MENIDIA BERYLINA
Source: Lab reared ☒ Hatchery reared ☐ Field collected ☐
Hatch date 2-4-18 Receipt date
Lot number 020118MB Strain
Brood origination CAPE COD MA

II. Water Quality

Temperature 25 °C Salinity ~28 ppt D.O. ppm
pH 7.8 su Hardness ppm Alkalinity ppm

III. Culture Conditions

Freshwater ☐ Saltwater ☒ Other ☐

Recirculating ☒ Flow through ☐ Static renewal ☐

DIET: Flake food ☒ Phytoplankton ☐ Trout chow ☐

Artemia ☒ Rotifers ☒ YCT ☐ Other ENCAP. SHRIMP DIET

Prophylactic treatments:

Comments:

IV. Shipping Information

Client: ESI # of Organisms 150+

Carrier: Date shipped 2-14-18

Biologist: Mark J. Jorgensen

PO BOX 1271 HAMPTON NH 03843-1271 (603) 926-1650 AROFISH@AOL.COM

RECORD OF METERS USED

STUDY: 30299		CLIENT: Woodward & Curran - Hull, MA WWTF	
Exposure (Hours)			
	0	24	48
Water Quality Station #	1	1	1
Initials / Date	MS 02/15/18	CFS 02/16	MS 02/17/18

Water Quality Station #1	Water Quality Station #2	COMMENTS
DO meter # 24	DO meter #	DO _{sat} DO obtained with MLOL on 02/17/18
DO probe # 95	DO probe #	
pH meter # 1097	pH meter #	
pH probe # 149	pH probe #	
S/C meter # YS130D	S/C meter #	
S/C probe #	S/C probe #	
Salinity meter #	Salinity meter #	

PREPARATION OF DILUTIONS

Diluent: Receiving Water (RW)	Day: 0 Sample: E ₀ , D ₀	E ₀ = 25.1°C D ₀ = 26.0°C
Concentration %	Vol. Eff. (mls)	Final Vol. (mls)
Lab Salt	0	800
RW	0	
6.25%	50	
12.5%	100	
25%	200	
50%	400	
100%	800	
INITIALS:	CFS	KB
TIME:	11:5	13:40
DATE:	02/15/18	

Report No: 30299 SDG:
Project: Hull

Sample ID: Effluent Start
Matrix: Water
Sampled: 02/14/18 0800

Parameter		Result	Quant Limit	Units	Date Prepared	Date of Analysis	INIT/Method/Reference
Total solids	30299-006	4300	100	mg/L	02/20/18 1520	02/21/18 0940	CA /SM 2540B
Total suspended solids	30299-005	3.8	1	mg/L	02/20/18 1440	02/21/18 1040	CA /SM 2540D
Total organic carbon	30299-003	5.8	0.4	mg/L	03/09/18	03/09/18	JHW/SM 5310 C
Ammonia-N	30299-004	8.6	0.1	mg/L as N	02/16/18 1000	02/16/18 1117	JHW/SM 4500-NH3 G
Aluminum, total	30299-002	ND	0.02	mg/L	02/25/18 1030	02/26/18 2103	JLH/EPA 200.8
Cadmium, total	30299-002	ND	0.0005	mg/L	02/25/18 1030	02/26/18 2103	JLH/EPA 200.8
Calcium, total	30299-002	69.1	0.1	mg/L	02/25/18 1030	02/26/18 2103	JLH/EPA 200.8
Chromium, total	30299-002	ND	0.002	mg/L	02/25/18 1030	02/26/18 2103	JLH/EPA 200.8
Copper, total	30299-002	0.0054	0.0005	mg/L	02/25/18 1030	02/26/18 2103	JLH/EPA 200.8
Lead, total	30299-002	ND	0.0005	mg/L	02/25/18 1030	02/26/18 2103	JLH/EPA 200.8
Magnesium, total	30299-002	120	0.1	mg/L	02/25/18 1030	02/26/18 2103	JLH/EPA 200.8
Nickel, total	30299-002	ND	0.002	mg/L	02/25/18 1030	02/26/18 2103	JLH/EPA 200.8
Zinc, total	30299-002	0.041	0.002	mg/L	02/25/18 1030	02/26/18 2103	JLH/EPA 200.8

Sample ID: Receiving Water Start
Matrix: Water
Sampled: 02/14/18 0600

Parameter		Result	Quant Limit	Units	Date Prepared	Date of Analysis	INIT/Method/Reference
Total solids	30299-012	36000	100	mg/L	02/20/18 1520	02/21/18 0940	CA /SM 2540B
Total suspended solids	30299-011	7.2	1	mg/L	02/20/18 1440	02/21/18 1040	CA /SM 2540D
Total organic carbon	30299-009	2.2	2	mg/L	03/21/18	03/21/18	JHW/SM 5310 C
Ammonia-N	30299-010	ND	0.1	mg/L as N	02/16/18 1000	02/16/18 1117	JHW/SM 4500-NH3 G
Aluminum, total	30299-008	0.032	0.02	mg/L	02/25/18 1030	02/26/18 2109	JLH/EPA 200.8
Cadmium, total	30299-008	ND	0.0005	mg/L	02/25/18 1030	02/26/18 2109	JLH/EPA 200.8
Calcium, total	30299-008	332	0.1	mg/L	02/25/18 1030	02/26/18 2109	JLH/EPA 200.8
Chromium, total	30299-008	ND	0.002	mg/L	02/25/18 1030	02/26/18 2109	JLH/EPA 200.8
Copper, total	30299-008	0.0014	0.0005	mg/L	02/25/18 1030	02/26/18 2109	JLH/EPA 200.8
Lead, total	30299-008	ND	0.0005	mg/L	02/25/18 1030	02/26/18 2109	JLH/EPA 200.8
Magnesium, total	30299-008	1010	0.1	mg/L	02/25/18 1030	02/26/18 2109	JLH/EPA 200.8
Nickel, total	30299-008	ND	0.002	mg/L	02/25/18 1030	02/26/18 2109	JLH/EPA 200.8
Zinc, total	30299-008	0.0023	0.002	mg/L	02/25/18 1030	02/26/18 2109	JLH/EPA 200.8

Notes:

ND = Not Detected

ESI

SAMPLE RECEIPT AND CONDITION DOCUMENTATION

Page 1 of 1

STUDY NO: 30299
 SDG No: Hull
 Project: Hull
 Delivered via: ESI
 Date and Time Received: 02/14/18 1145 Date and Time Logged into Lab: 02/14/18 1536
 Received By: MG Logged into Lab by: MS /MS
 Air bill / Way bill: No Air bill included in folder if received? NA
 Cooler on ice/packs: Yes Custody Seals present? NA
 Cooler Blank Temp (C) at arrival: 3.8 C Custody Seals intact? NA
 Number of COC Pages: 1
 COC Serial Number(s): A1015815
 COC Complete: Yes Does the info on the COC match the samples? Yes
 Sampled Date: Yes Were samples received within holding time? Yes
 Field ID complete: Yes Were all samples properly labeled? Yes
 Sampled Time: Yes Were proper sample containers used? Yes
 Analysis request: Yes Were samples received intact? (none broken or leaking) Yes
 COC Signed and dated: Yes Were sample volumes sufficient for requested analysis? Yes
 Were all samples received? Yes Were VOC vials free of headspace? NA
 Client notification/authorization: Not required pH Test strip ID number: A-4906

Field ID	Lab ID	Mx	Analysis Requested	Bottle	Req'd Pres'n	Verified Pres'n
Effluent Start	30299-001	W	MB48AD StartSample	1x3750 P	4 C	
Effluent Start	30299-002	W	Total Metals Cd,Cr,Ni,Pb,Cu,Zn,Al,Ca,Mg;	250 P	HNO3	Yes
Effluent Start	30299-003	W	TOC	1x40 G	H2SO4	Yes
Effluent Start	30299-004	W	NH3;	125 P	H2SO4	Yes
Effluent Start	30299-005	W	TSS	1000 P	4 C	
Effluent Start	30299-006	W	TS	250 P	4 C	
Receiving Water Start	30299-007	W	MB48AD StartDiluent	2x3750 P	4 C	
Receiving Water Start	30299-008	W	Total Metals Cd,Cr,Ni,Pb,Cu,Zn,Al,Ca,Mg;	250 P	HNO3	Yes
Receiving Water Start	30299-009	W	TOC	1x40 G	H2SO4	Yes
Receiving Water Start	30299-010	W	NH3;	125 P	H2SO4	Yes
Receiving Water Start	30299-011	W	TSS	1000 P	4 C	
Receiving Water Start	30299-012	W	TS	250 P	4 C	

Notes and qualifications:

See COC



EnviroSystems, Inc.
1 Lafayette Road
Hampton, NH 03842

Voice: 603-926-3345
FAX: 603-926-3521

ESI Job No: 30299

CHAIN OF CUSTODY DOCUMENTATION

Client: Hull		Contact: Aram Variabedian		Project Name: Hull WWTF	
Report to: Aram Variabedian		Address: 1111 Nantasket Avenue		Project Number: P0036 Task: 0001	
Invoice to: Aram Variabedian		Address: Hull, MA 02045		Project Manager: Aram Variabedian	
Voice: 781-925-0906		Fax: 781-925-3056		P.O.No.: Quote No:41181	
Protocol: NPDES					
Lab Number (assigned by lab)	Your Field ID: (must agree with container)	Date Sampled	Time Sampled	Sampled By	Grab or composite (G/C)
001 Effluent Start		2/13-14/18	8 th -8 th	JB	C
002 Effluent Start		2/13-14/18	8 th -8 th	JB	C
003 Effluent Start		2/13-14/18	8 th -8 th	JB	C
004 Effluent Start		2/13-14/18	8 th -8 th	JB	C
005 Effluent Start		2/13-14/18	8 th -8 th	JB	C
006 Effluent Start		2/13-14/18	8 th -8 th	JB	C
007 Receiving Water Start		2/14/18	6:15 th	JB	G
008 Receiving Water Start		2/14/18	6:15 th	JB	G
009 Receiving Water Start		2/14/18	6:15 th	JB	G
010 Receiving Water Start		2/14/18	6:15 th	JB	G
011 Receiving Water Start		2/14/18	6:15 th	JB	G
012 Receiving Water Start		2/14/18	6:15 th	JB	G
Relinquished By: <i>James E. B...</i>		Date: 2/14/18		Time: 11:45	
Relinquished By:		Date:		Time:	
Comments: 3.8°C		Date:		Time:	
ERR		Date:		Time:	
COC Number: A1015815		Date:		Time:	

DATE IN: 02/17/18
 DATE DUE: 3/10/18
7/21/18

Assay Review Checklist

STUDY#: 30299

CLIENT: Woodward + Curran

PROJECT: Hull

ASSAY: MB48AD

Project Paperwork Check for Completeness			
	Date	Initials	Comments
Day 0	02/15/18	MS	
Day 1	02/16	KB	
Day 2	02/17	CFS	
Day 3			
Day 4			
Day 5			
Day 6			
Day 7			
Day 8			

Analyst Data Review	Date	Initials	Comments
Chains of Custody Complete	02/17/18	CFS	
Sample Receipt Complete			
Organism Culture Sheet(s)			
Bench Sheets Complete (dates, times, initials, etc...)			
Water Quality Data Complete			
TRC Values & Bottle Numbers			
Daphnid Calculations Complete	N/A	N/A	
Weights Reported	02/17/18	CFS	
Assay Acceptability Review			

Technical Report Review	Date	Initials	Comments
Statistical Analysis Complete	N/A	NA	
Statistical Analysis Reviewed			
Data Acceptability Review	2/21/18	LB	
Supporting Chemistry Report	3/23/18	LB	
Draft Report	2/21/18	LB	
QA Audit/Review Complete			
Final Report Reviewed	2/27/18	AK	
Final Report Printed - PDF	3/23/18	LB	
Executive Summary / Chems Sent			
Report E-mailed / Faxed	3/23/18	LB	
Report Logged Out / Invoice Sent			
Report Scanned to Archive			